

PRODUCT CATALOG

VOL. 1023



COMPREHENSIVE LINE

GREAT VALUE

HIGH QUALITY

APPLY THE FINISHING TOUCH WITH



SUPERIOR

Pads & Abrasives

www.superiorpads.us

Company Profile

"Superior Pads & Abrasives® designs, manufactures, and distributes a diverse range of high-quality pads and abrasives. We are dedicated in serving the industrial hardware stores, construction supply houses, tool stores, and tool repair shops with quality products and great value.

Exceeding Customer Satisfaction

We strive to operate with integrity, ethically achieve our mission, and continually improve our products.

Reliable Quality



A Subsidiary of

















American
General Tool Group

Manufactures and distributes pneumatic and woodworking parts & accessories, aftermarket pneumatic and electrical spare parts and tool accessories for the construction and woodworking trades.



Table of Contents

	Hook & Loop Pads Convenience, performance and quality in your hands	4 - 10
	PSA Round Pads Sand like a pro to get the job done	11 - 14
	PSA 1/4 Sheet Pads Get it done the way you want	11 - 14
	Backing Pads Achieve unmatched results with minimal effort	15 - 18
	Sanding Paper	19
	Buffing & Polishing Pads Give projects a premium & lasting finish	20 - 23
	Surface Conditioning Discs Get consistent quality every time	24 - 28
	Hand Sanding Blocks Bring flexibility to your craft	29 - 31
	Sanding Sleeves & Drum Kits	32 - 36
	Sanding Paper Rolls	37
	Sanding Belts	38
	Belt Cleaner	39
	Flap/Web Grinding Wheels	40 - 41
	Steel Wire Brush Wheels, Cups & Brushes	42 - 46

At a Glance

Superior Pads & Abrasives® catalog outlines key features and technical specs for every product category so distributors can ensure they are getting the right abrasive solutions for their customers.

This catalog offers the complete range of premium-quality Superior Pads & Abrasives® products in one place to make your selection effective and convenient. All the products are divided into 14 broad categories for easier access.

You can also head to our online store at www.superiorpads.us for product catalog in PDF format, downloadable content, product specifications and online ordering. All of the information you need is just a few clicks away.






SANDING PADS

Superior Pads & Abrasives® offers a wide range of sanding pads that serve a variety of finishing applications. These sanding pads feature Hook & Loop or Pressure Sensitive Adhesive (PSA) backs for easy and quick sandpaper replacement.

Craftsmen can now bring efficiency to their craft with Superior Pads & Abrasives® sanding pads, featuring high-quality materials and durable construction.



Superior Pads & Abrasives offers variety of sanding pads in following sizes:

4" 5" 6" 7"



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.




Eye protection must be worn at all times.




Easy Installation

Superior Pads & Abrasives® offers its range of sanding pads with either screw on or built-in mounting threads for easy and quick installation. The pad can be firmly attached to the sander effortlessly using either of the mechanisms for perfect results.



Quick Replacement Pads with Hook & Loop / PSA Backs

Superior Pads & Abrasives® sanding pads come with a Hook & Loop or Pressure Sensitive Adhesive (PSA) backing. Hook & Loop functions like Velcro, makes it simple and easy to switch between different sanding grits of paper. On the other hand, PSA backing pads have a smooth surface to easily apply sanding paper to the pad's surface. This mechanism works like a reusable sticker, making it easy to replace sanding paper.



Compatible with





RSP56

- Durable Medium Soft Rubber
- 5/16" - 24 UNC Threaded Shaft
- 10,000 Max RPM
- No Vacuum Holes

2"
Dia.

1/2"
Thickness



RSP57

- Durable Medium Soft Rubber
- 5/16" - 24 UNC Threaded Shaft
- 10,000 Max RPM
- No Vacuum Holes

3"
Dia.

1/2"
Thickness



RSP26

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Dewalt 151281-08

5"
Dia.

1/2"
Thickness



RSP27

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Metal Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Makita 743081-8 & 743051-7

+ Hitachi 324-209

5"
Dia.

1/2"
Thickness



RSP28

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Milwaukee 51-36-7090

+ Ryobi 300527002, 975241002 & 974484001

+ Ridgid 300527002

5"
Dia.

1/2"
Thickness



RSP29

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 5 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 13904 / 13909

5"
Dia.

1/2"
Thickness



RSP33

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- 5 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 15000

5"
Dia.

1"
Thickness



RSP42

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Bosch 2610955945 / RS034

5"
Dia.

1/2"
Thickness



RSP45

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Bosch 2610917408

5"
Dia.

5/8"
Thickness



RSP54

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Dewalt N329079

5"
Dia.

1/2"
Thickness



SP390001

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes
- Includes Dust Collector Seal

SP390001-PC

Dust Collector Seal

Manufacturer OE Part#:
+ Porter Cable 390001

5"

Dia.

1/2"

Thickness



RSP37

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- 6 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 18001

6"

Dia.

3/4"

Thickness



RSP38

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- 6 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 18002

6"

Dia.

1"

Thickness



RSP41

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Festool 498986, 498687 & 498988

6"

Dia.

1/2"

Thickness



RSP44

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Makita A-91207

6"

Dia.

3/4"

Thickness



RSP47

- Durable Medium Soft Rubber
 - Easy Screw-On Installation
 - Plastic Backing Plate
 - 6 Vacuum Holes
- Manufacturer OE Part#:**
+ Bosch 2610917411

6"
Dia.

3/4"
Thickness



RSP49

- Durable Medium Soft Rubber
 - Easy Screw-On Installation
 - Plastic Backing Plate
 - 6 Vacuum Holes
- Manufacturer OE Part#:**
+ Ridgid/Ryobi 305189001

6"
Dia.

5/8"
Thickness



RSP58

- Durable Medium Soft Rubber
- 5/16" - 24 UNC Threaded Shaft
- No Vacuum Holes

6"
Dia.

1/2"
Thickness



RSP59

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

6"
Dia.

3/4"
Thickness



RSP70

- Durable Medium Soft Rubber
 - 7/16" -14 UNC Mount Shaft
 - No Vacuum Holes
- Manufacturer OE Part#:**
+ U-Sand/Cherryhill BP6

6"
Dia.

1/2"
Thickness



RSP61

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

7"
Dia.

3/4"
Thickness



RSP63

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

8"
Dia.

3/4"
Thickness



RSP35

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

Manufacturer OE Part#:
+ Makita 743052-5

7"
Dia.

1"
Thickness



TP20

- Universal Fit - Works with many Brands of Oscillating Tools

Manufacturer OE Part#:
+ Rockwell RW8938

3/8"
Thickness



SPD16

- Easy Screw-On Installation
- Metal Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Porter Cable 135292 & 893667

1/4
Sheet

1/4"
Thickness



SPD17

- Easy Screw-On Installation
- Metal Backing Plate
- 6 Vacuum Holes

Manufacturer OE Part#:

+ Makita 158324-9

1/4
Sheet

1/4"
Thickness



SPD18

- Easy Screw-On Installation
- Metal Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Dewalt 151280-00 & 151284-00SV

1/4
Sheet

1/4"
Thickness



SPD19

- Easy Screw-On Installation
- Metal Backing Plate
- 6 Vacuum Holes

Manufacturer OE Part#:

+ Milwaukee 14-67-0275
+ Ridgid 200202538

1/4
Sheet

1/4"
Thickness



SPD20

- Easy Screw-On Installation
- Metal Backing Plate
- No Vacuum Holes

Manufacturer OE Part#:

+ Porter Cable 13597

1/4
Sheet

1/4"
Thickness



RSP43

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:
+ Makita 743056-7

5"

Dia.

1/2"

Thickness



RSP30

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 5 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 13901

5"

Dia.

5/8"

Thickness



RSP31

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- No Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 13900

5"

Dia.

5/8"

Thickness



RSP32

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- 5 Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 14700 & 874667

5"

Dia.

3/4"

Thickness



RSP34

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- No Vacuum Holes

Manufacturer OE Part#:
+ Porter Cable 13700, A14390 & 699999

5"

Dia.

1"

Thickness



RSP36

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Dewalt 151281-00, 151281-07 & 151281-09

5"

Dia.

5/8"

Thickness



RSP46

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- 8 Vacuum Holes

Manufacturer OE Part#:

+ Milwaukee 51-36-7095

5"

Dia.

5/8"

Thickness



RSP55

- Durable Medium Soft Rubber
- Easy Screw-On Installation
- Plastic Backing Plate
- No Vacuum Holes

Manufacturer OE Part#:

+ Dewalt 151662-00

6"

Dia.

1/2"

Thickness



RSP39

- Durable Medium Soft Rubber
- 5/16" - 24 UNF Threaded Shaft
- No Vacuum Holes

Manufacturer OE Part#:

+ Porter Cable 16000

6"

Dia.

3/4"

Thickness



RSP60

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

6"

Dia.

3/4"

Thickness



RSP62

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

7"
Dia.

3/4"
Thickness



RSP64

- Durable Medium Soft Rubber
- 5/8" - 11 UNC Female Threads
- No Vacuum Holes

8"
Dia.


3/4"
Thickness



BACKING PADS

Superior Pads & Abrasives® manufactures an exceptional range of high-quality Backing pads that give benchmark performance to DIY, and professional jobs.

Superior Pads & Abrasives® backing pads provide excellent quality, performance, and value.



Superior Pads & Abrasives offers a variety of backing pads in following sizes:

4.5" & 7"



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.




Eye protection must be worn at all times.



Easy Installation

All of the Superior Pads & Abrasives® backing pads come with a built in mounting thread or locking nut mechanism for quick and convenient installation. The backing pad can firmly attach to the sander or polisher using the locking nut or threaded mount mechanism.



This makes it easy and simple to replace and switch between different backing pads, reducing the down time and increasing productivity.

Durable Construction

Superior Pads & Abrasives® backing pads are made of high-quality rubber or durable propylene material. Both materials handle heavy-duty tasks and are powerful, resilient, and flexible to the nature of the finishing task.

High Performance

Superior Pads & Abrasives® backing pads can support various ratings of RPM depending on the diameter and application of the pad.

Compatible with





PP30

- Highly durable rubber provides rigidity and flexibility
- Brass Nut - 5/8" - 11 UNC Female Threads
- 4500 Max RPM

3"
Dia.

5/16"
Thickness



PP40

- Highly durable rubber provides rigidity and flexibility
- Brass Nut - 5/8" - 11 UNC Female Threads
- 4500 Max RPM

4"
Dia.

5/16"
Thickness



PP50

Features:

- Highly durable rubber provides rigidity and flexibility
- Brass Nut - 5/8" - 11 UNC Female Threads
- 4500 Max RPM

5"
Dia.

3/8"
Thickness



PP70

Features:

- Highly durable rubber provides rigidity and flexibility
- Brass Nut - 5/8" - 11 UNC Female Threads
- 4500 Max RPM

7"
Dia.

1/2"
Thickness



RSP50

- 5/8" - 11 UNC Female Thread
- 3/4" Thick
- Hook & Loop

7"

Dia.

3/4"

Thickness



BP45

- Durable Polypropylene Pad
- 5/8" - 11 Metal Zinc Alloy Locking Nut included
- 13,300 Max RPM

4-1/2"

Dia.

1/8"

Thickness



BP70

- Durable Polypropylene Pad
- 5/8" - 11 Metal Zinc Alloy Locking Nut included
- 8000 Max RPM

7"

Dia.

1/4"

Thickness

ROUND HOOK & LOOP/PSA SANDING PAPER



Part#
SD500H 60
SD501H 80
SD502H 120
SD503H 150
SD504H 240

5" **No** **HOOK & LOOP**
 Dia. Holes Style



SD505P 60
SD506P 80
SD507P 120
SD508P 150
SD509P 240

5" **No** **PSA**
 Dia. Holes Style



SD550H 60
SD551H 80
SD552H 120
SD553H 150
SD554H 240

5" **5** **HOOK & LOOP**
 Dia. Holes Style



SD555P 60
SD556P 80
SD557P 120
SD558P 150
SD559P 240

5" **5** **PSA**
 Dia. Holes Style



SD580H 60
SD581H 80
SD582H 120
SD583H 150
SD584H 240

5" **8** **HOOK & LOOP**
 Dia. Holes Style



SD585P 60
SD586P 80
SD587P 120
SD588P 150
SD589P 240

5" **8** **PSA**
 Dia. Holes Style

Abrasive Material: Ceramic Aluminum Oxide **Backing Material:** Fibrous Paper **Packing:** 25/Pack

HOOK & LOOP TRIANGULAR SAND PAPER



Part#
MB40 40
MB60 60
MB80 80
MB100 100
MB120 120
MB150 150
MB180 180
MB240 240
MB320 320

Abrasive Material:
 Ceramic Aluminum Oxide

Backing Material:
 Fibrous Paper

Packing:
 25/Pack



BUFFING & POLISHING PADS

Superior Pads & Abrasives® produces and distributes a premium range of buffing and polishing pads that provide outstanding results. Built with high-quality materials and designed to achieve excellence.

Superior Pads & Abrasives® buffing and polishing pads provide exceptional quality and durability at a great value.



Superior Pads & Abrasives offers a variety of buffing/polishing pads in following sizes:

6" & 8"



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.




Eye protection must be worn at all times.

UNC Thread Mount

All of the Superior Pads & Abrasives® buffing and polishing pads come with a built in UNC (Unified National Coarse) mounting thread for quick and convenient installation. These pads can be firmly and conveniently attached to the sander or polisher using the 5/8"-11 UNC female threads.

This makes it simple and quick to replace and switch between different buffing/polishing pads, reducing the down time and increasing the productivity.



Premium Construction

These pads are made of high-quality materials that make them tough, flexible, and sturdy to overcome heavy-duty tasks.

Heavy Duty Performance

The range of Superior Pads & Abrasives® buffing/polishing pads can support between various RPM ratings, depending on the diameter and application of the pad. These pads are great for scratch removal, sand scratch removal, paint defects, medium paint finishes and many more applications.

COMPOUNDING PADS



PCW06

- Dense, firm sponge
- 5/8" - 11 UNC Female Threads
- RPM: 1200 - 2000

6"
Dia.

2"
Thickness



PCW06-MT

- Dense, firm sponge
- 5/16" - 24 Male Threads
- RPM: 1200 - 2000

Manufacturer OE Part#:
+ Porter Cable 54745

6"
Dia.

2"
Thickness

BUFFING PADS



PCY08

- Great for scratch removal, paint defects, medium paint finishes
- Quality general purpose Foam Compounding Pad
- Compatible with random orbital polishers
- Hook & Loop surface
- Color: Yellow

8"
Dia.

1"
Thickness



PPB08

- Soft Foam for an effective light oxidation or scratches
- Compatible with random orbital polishers
- Hook & Loop surface
- This foam pad is made with durable open cell foam to improve airflow
- Color: Blue

8"
Dia.

1"
Thickness



PFB08

- Super soft for an effective finishing polish
- Compatible with random orbital polishers
- Hook & Loop surface
- Curved edges for dark colors and fine paint finishes
- Color: Black

8"
Dia.

1"
Thickness

WOOL BUFFING PADS



PBW05

- Arbor Size: 1/4" Hex Shank
- 5" Backer Pad with 1/4" Hex Shank Adapter for Drill Drivers
- 5" Buffing Bonnet

5"
Dia.

1"
Thickness



PBW08

- Removes serious paint imperfections
- Quality general purpose Wool Buffing Pad
- Hook & Loop surface

8"
Dia.

1-1/4"
Thickness

DETAIL POLISHING SET



PD3S

- Ideal for light polishing and minor correcting applications
- Compatible with most 3" detail polishers and sanders

3"
Dia.

Set Includes:

- 3" Foam hook and loop finishing pad
- 3" Foam hook and loop correcting pad
- 3" Wool hook and loop compounding pad
- 3" Hook and loop backer pad with 1/4" hex Shank adapter for drill drivers



SURFACE CONDITIONING DISCS

Superior Pads & Abrasives® produces and distributes premium-quality surface conditioning discs that are great for achieving optimum performance in all medium to heavy-duty jobs.

Featuring high-quality materials, sturdy construction and lasting durability.



Superior Pads & Abrasives offers a variety of surface conditioning discs in following sizes:

2" & 3"



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.



Eye protection must be worn at all times.



Easy Installation

All of the Superior Pads & Abrasives® surface conditioning discs come with roll on and roll off mechanism for quick and convenient installation. Conditioning Discs also come in kits with 1/4" shank and lock-on pad. It is quite easy and quick to attach the conditioning disc to the roll on / off disc.

This mechanism makes it convenient to replace and switch between different surface conditioning discs, reducing the down time and increasing the productivity.



Fine Grit



Medium Grit



Coarse Grit

Durable Construction

Superior Pads & Abrasives® conditioning discs are made of high-quality non-woven materials that provides durability. These materials are sturdy enough to handle heavy-duty tasks and consistently ensure excellent results.

Variety in Grit

Different types of finishing jobs require different types of grits. That's why Superior Pads & Abrasives® offers its disc range in fine, medium and coarse grits to address all kinds of tasks. With coarse discs you can sand your way through rougher surface areas by removing large amounts of material. Similarly, fine discs are great for giving your projects a finishing touch.

Applications

Superior Pads & Abrasives® surface conditioning discs are used in many applications in both the automotive and industrial areas. These are durable-non-woven abrasives used for light-grinding, paint removal, blending applications, and providing a burr-free finish.



SPD01

- Highly durable rubber provides rigidity and flexibility
- Great compact design is great for small and hard to reach places
- Mandrel with 1/4" Shank Lock on Nut

1"
Dia.



SPD02

- Highly durable rubber provides rigidity and flexibility
- Great compact design is great for small and hard to reach places
- Mandrel with 1/4" Shank Lock on Nut

2"
Dia.



SPD03

- Highly durable rubber provides rigidity and flexibility
- Great compact design is great for small and hard to reach places
- Mandrel with 1/4" Shank Lock on Nut

3"
Dia.

FINE/MEDIUM/COARSE SURFACE CONDITIONING DISCS



SD2C

- Tan / Coarse
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

2"

Dia.

1/4"

Thickness



SD2M

- Maroon / Medium
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

2"

Dia.

1/4"

Thickness



SD2F

- Blue / Fine
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

2"

Dia.

1/4"

Thickness



SD3C

- Tan / Coarse
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

3"

Dia.

1/4"

Thickness



SD3M

- Maroon / Medium
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

3"

Dia.

1/4"

Thickness



SD3F

- Blue / Fine
- Same quality as 3M Roloc® surface conditioning disc
- Easy Roll-On / Off for quick change of disc
- Non-Woven material

3"

Dia.

1/4"

Thickness

FINE/MEDIUM/COARSE SURFACE CONDITIONING DISCS



PP20K - 7 PIECE KIT

- Two each Non-Woven Coarse, Medium & Fine discs included
- 2" Twist Lock Spindle Disc included
- Mandrel with 1/4" Shank & Lock on Nut
- 30,000 Max RPM

Comes in a Retail Ready Blister Package

2"
Dia.



PP30K - 7 PIECE KIT

- Two each Non-Woven Coarse, Medium & Fine discs included
- 2" Twist Lock Spindle Disc included
- Mandrel with 1/4" Shank & Lock on Nut
- 30,000 Max RPM

Comes in a Retail Ready Blister Package

3"
Dia.

BRISTLE DISCS

- Excellent for aggressive sanding, removing oxidation, rust, paint graffiti, etc. on metals and other hard surfaces.

Material: DuPont ceramic abrasive grain blended with Aluminum Oxide Easy Roll ON/OFF for Quick Change Disc



Part#	Diameter	Grit	Bristle Length	Color
BD2050	2"	50	5/8"	Green



BD2080	2"	80	5/8"	Yellow
---------------	----	----	------	--------



BD2120	2"	120	5/8"	White
---------------	----	-----	------	-------



HAND SANDING BLOCKS

Superior Pads & Abrasives® offers a high-quality sanding block with rectangular dimensions and rubber grip for ultimate performance.

This sanding block can securely hold any type of sandpaper for different kinds of sanding applications, including wet and dry sanding.



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.



Eye protection must be worn at all times.



Comfortable Grip

Superior Pads & Abrasives® hand sanding blocks feature an ergonomic and comfortable grip made of high-quality rubber for long tedious sanding jobs. Convenient grip helps maintain consistent performance over longer periods.

Light & Compact

Superior Pads & Abrasives® sanding blocks are easy to use, light, compact, and sturdy. The ideal sanding solution for light to heavy-duty sanding applications that are hard to reach.

Excellent Performance

Superior Pads & Abrasives® a range of sanding blocks that can securely hold sandpaper during wet or dry sanding.

RECTANGLE SANDING BLOCK



SB50

- Size - 3-3/4" x 5"
- Ergonomically designed rubber material for comfortable grip
- Takes 2-3/4" x 9" sandpaper
- Yields four strips from a standard size 9" x 11" piece of sand paper


PREPPIN' WEAPON - SANDING BLOCK



19500

- Made from high impact ABS plastic and sized to fit 1/4" sheet of plain-backed 9" x 11" sandpaper
- Its design can cut sandpaper waste by up to 36%
- Spring clip design holds single or multiple sheets of sandpaper equally tight

SAND-DEVIL - SANDING BLOCK USES 3" x 21" BELTS



19520

- Made of tough injection molded thermoplastic
- Easy to change standard 3" x 21" abrasive belts quickly
- Ideal for home owners and Do-It-Yourselfers
- Work on flat, angled and curved surfaces

FOAM HAND SANDING BLOCK SET



19526

- Flexible and very durable rubber construction
- Hook and loop design, for quick pad changes, prevents pad shifting and spinning
- Ideal for woodworking, hobby, arts and crafts, auto body, drywall, shop and automotive use
- Two blocks are ergonomically designed and very comfortable on the hands



SANDING SLEEVES, DRUM KITS & ACCESSORIES

Superior Pads & Abrasives® offers an exceptional range of high-quality sanding sleeves and drum kits compatible with portable electric drills, flexible shafts, and drill presses.

These sleeves and drum kits enhance the capabilities of power tools and the range of applications you can accomplish with them.



All sanding sleeves, drum kits and accessories are available in various sizes to fit diverse range of applications.




Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.



Eye protection must be worn at all times.



Heavy-Duty Sanding

Superior Pads & Abrasives® drum kits feature aluminum oxide resin for durability and aggressive heavy-duty sanding applications.

Versatility

All of the Superior Pads & Abrasives® sanding drums are cushioned and self expanding so they can automatically adjust to the task at hand. The convenience to self adjust allows the craftsmen to maneuver the work piece to get the perfect sanding results.

Adhesive Free Application

Superior Pads & Abrasives® sanding drums come with innovative friction fit design that eliminate the need of any adhesive. This feature allows for a quick and convenient drum replacements.

Grit Variety

To address the diverse nature of sanding applications, Superior Pads & Abrasives® offers a range of sanding sleeves grits including fine, medium, and coarse for superior results.

Size Variety

Superior Pads & Abrasives® sanding drum kits are available in different drum and shank diameters for a range of applications including sanding holes, edges, contours, irregular shapes and wider surfaces.

19530 - 20 PIECE KIT

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- Self expanding rubber cushioned drums have 1/4" shank
- Drum size (1/2" x 1/2") (3/4" x 1") (1" x 1") (1-1/2" x 1-1/2") (2" x 1-1/2")
- 2500 Max RPM
- Comes in blow molded carrying case

Includes:

2 each - sanding sleeves (fine & coarse) for each drum size - Total 15 sleeves + 5 drums

Replacement Sleeves also available:

19529: (1/2" x 1/2") 3 Fine, 3 Medium, 3 Coarse

19531: (3/4" x 1") 3 Fine, 3 Medium, 3 Coarse

19532: (1" x 1") 3 Fine, 3 Medium, 3 Coarse

19533: (1-1/2" x 1-1/2") 3 Fine, 3 Medium, 3 Coarse

19534: (2" x 1-1/2") 3 Fine, 3 Medium, 3 Coarse

**19540 - 12 PIECE SUPER LONG KIT**

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- Self expanding rubber cushioned drums have 1/4" shank
- Drum size (1/2" x 3") (1" x 3") (1-1/2" x 3")
- 2500 Max RPM
- Comes in a color cardboard box

Includes:

3 each - sanding sleeves (fine, medium & coarse) for each drum size - Total 9 sleeves + 3 drums

Replacement Sleeves also available:

19541: (1/2" x 3") 3 Fine, 3 Medium, 3 Coarse

19542: (1" x 3") 3 Fine, 3 Medium, 3 Coarse

19543: (1-1/2" x 3") 3 Fine, 3 Medium, 3 Coarse





19521 - 20 PIECE KIT

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- Self expanding rubber cushioned drums have 1/4" shank
- Drum size (1/2" x 2-1/2") (3/4" x 2-1/2") (1" x 2-1/2") (1-1/2" x 2-1/2")
- 2500 Max RPM
- Comes in blow molded carrying case

Includes:

Two sets of fine sleeves and two sets of coarse sleeves for each drum size - Total 16 sleeves + 4 drums



19522 - 25 PIECE KIT

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- Self expanding rubber cushioned drums have 1/4" shank
- Drum size (1/2" x 1/2") (3/4" x 1") (1" x 1") (1-1/2" x 2-1/2") (2" x 1-1/2")
- 2500 Max RPM
- Comes in blow molded carrying case

Includes:

Two sets of fine sleeves and two sets of coarse sleeves for each drum size - Total 20 sleeves + 5 drums



19535 - 16 PIECE - EXTRA LONG KIT

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- Self expanding rubber cushioned drums have 1/4" shank
- Drum size (1/2" x 2") (3/4" x 2") (1" x 2") (1-1/2" x 2")
- 2500 Max RPM
- Comes in blow molded carrying case

Includes:

3 each - sanding sleeves (fine, medium & coarse) for each drum size - Total 12 sleeves + 4 drums

Replacement Sleeves also available:

19536: (1/2" x 2") 3 Fine, 3 Medium, 3 Coarse

19537: (3/4" x 2") 3 Fine, 3 Medium 3 Coarse

19538: (1" x 2") 3 Fine, 3 Medium, 3 Coarse

19539: (1-1/2" x 2") 3 Fine, 3 Medium, 3 Coarse



Package includes:
3 Fine, 3 Medium, 3 Coarse

Replacement Sanding Sleeves

19529, 19531, 19532, 19533, 19534

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- **19529:** 1/2" Dia x 1/2" Length
- **19531:** 3/4" Dia x 1" Length
- **19532:** 1" Dia x 1" Length
- **19533:** 1-1/2" Dia x 1-1/2" Length
- **19534:** 2" Dia x 1-1/2" Length



Package includes:
3 Fine, 3 Medium, 3 Coarse

Replacement Sanding Sleeves

19536, 19537, 19538, 19539

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- **19536:** 1/2" Dia x 2" Length
- **19537:** 3/4" Dia x 2" Length
- **19538:** 1" Dia x 2" Length
- **19539:** 1-1/2" Dia x 2" Length



Package includes:
3 Fine, 3 Medium, 3 Coarse

Replacement Sanding Sleeves

19541, 19542, 19543

- Aluminum resin bond spiral no-lap sleeves
- Excellent for sanding holes, edges, contours, irregular shapes and wider surfaces
- **19541:** 1/2" Dia x 3" Length
- **19542:** 1" Dia x 3" Length
- **19543:** 1-1/2" Dia x 3" Length

■ MULTI-GRIT SANDPAPER ROLL DISPENSER



22180

- Convenient dispenser is loaded with four 1" x 20Ft. rolls of cloth backed Aluminum Oxide Sand Paper
- Each dispenser pack contains one roll of 150, 240, 320 & 400 grit
- Just tear off the length of abrasive strip you need

4 GRITS			
150	240	320	400



22185

- Convenient dispenser is loaded with five 1" x 20Ft. rolls of cloth backed Aluminum Oxide Sand Paper
- Each dispenser pack contains one roll of 150, 240, 320, 400 & 600 grit
- Just tear off the length of abrasive strip you need

5 GRITS				
150	240	320	400	600

ALUMINUM OXIDE SANDING BELTS
1-1/2" WIDE X 30" LONG - 10PCS/PACK



POLISHER SANDER GRINDER
 NOT INCLUDED



Part#	Size	Grit
HPG36-10	1-1/2" x 30"	36
HPG60-10	1-1/2" x 30"	60
HPG120-10	1-1/2" x 30"	120
HPG180-10	1-1/2" x 30"	180
HPG240-10	1-1/2" x 30"	240

Comes in 10 Pcs/Pack



Part#	Size	Grit
HPG320W-10	1-1/2" x 30"	320
HPG600W-10	1-1/2" x 30"	600

Comes in 10 Pcs/Pack

FELT POLISHING BELTS



Part#	Size
HPGFB-10	1-1/2" x 30"

Comes in 10 Pcs/Pack

Our abrasive cleaner sticks are the easiest solution for cleaning/unloading abrasives. Increase the life of new sanding belts and discs up to 10 times with our quality abrasive belt cleaners. Simply press the cleaner stick lightly against moving sanding belts and discs to remove clogged-up pitch and saw dust. Improves the finish quality and prevents burns and marking. Cuts down the frequency and costs of belt replacement.

■ ABRASIVE SANDING BELT CLEANERS



19544, 19547, 19549, 19551

- 19551: 1-1/2" x 1-1/2" x 6"
- 19544: 1-1/2" x 1-1/2" x 8"
- 19547: 2" x 2" x 12"
- 19549: 3" x 3" x 12"

■ ABRASIVE SANDING BELT CLEANER WITH HANDLE



19545

- Size - 1-1/2" x 2" x 6"
- Handle Size - 12"
- Equipped with plastic handle with a knob for two handed jobs

FLAP/WEB GRINDING WHEEL



ALUMINIUM OXIDE FLAP GRINDING WHEEL



Part#	Grit	Dia.	Height	Arbor Size	Max RPM
AW-180F	180	4"	4-5/8"	3/4"	4400

- Special fused aluminum-oxide nylon flap grinding wheel
- For sanding, deburring, graining metals and sanding wood surfaces

ELASTIC GRAIN COATED NYLON WEB GRINDING WHEEL



Part#	Grit	Dia.	Height	Arbor Size	Max RPM
AW-80	80	3-15/16"	4-15/16"	3/4"	4400
AW-180	180	4-1/8"	4-7/8"	3/4"	4400
AW-320	320	4-1/8"	4-7/8"	3/4"	4400
AW-600	600	4-1/8"	4-7/8"	3/4"	4400

- Elastic grain-coated non-woven nylon fleece for smooth tarnishing, burnishing and polishing stainless steel, non-ferrous metals and wood surfaces

FLEECE FLAP WHEEL FOR MIRROR POLISHING STAINLESS STEEL



Part#	Dia.	Height	Arbor Size	Max RPM
AW-FF	4"	4-3/4"	3/4"	4400

- For polishing stainless steel with a mirror treatment
- Material: Fleece
- Color: Off White

HEMP BURNISHING WHEEL FOR MIRROR POLISHING STAINLESS STEEL



Part#	Dia.	Height	Arbor Size	Max RPM
AW-HB	4"	5-1/8"	3/4"	4400

- Suitable for all kinds of hard material polishing, and mirror polishing

STEEL WIRE BRUSH GRINDING WHEEL



Part#	Dia.	Height	Arbor Size	Max RPM
AW-SSB	4-1/8"	4-3/4"	3/4"	6000

- Steel wire brush flap is for cleaning weld seams, deburring, rust-removal, roughening and graining metals and stainless steels



STEEL WIRE BRUSH WHEELS, CUPS, & BRUSHES

Superior Pads & Abrasives offers a range of steel wire wheels, cups, and brushes for use with portable electric grinders, bench grinders, pedestal grinders and by hand. These steel wire cups, brushes and wheels are the ideal tool solution for a variety of applications.

With all the basic configuration and shapes in the industry, Superior Pads and Abrasives steel wire accessories provide a compelling solution for light to heavy-duty cleaning, deburring, and prepping applications for the professional craftsmen.



All steel wire cups, wheels, and brushes are available in various sizes to better fit diverse applications.



Always use respiratory protection when exposed to contaminants exceeding the applicable threshold limit.



Ear protection must be worn when exposed to sound exceeding the applicable threshold limit.



Eye protection must be worn at all times.



Steel Brush Wheels

Heavy-Duty Brushing

Superior Pads & Abrasives® brushing accessories feature steel wire material for durability and brushing for light to heavy-duty applications. These brushing accessories can achieve fast and easy debris removal such as rust, oxidations, paint, and other unwanted contaminants on wood and several metals.



STEEL CIRCULAR WIRE BRUSH WHEELS

■ WIRE WHEELS - 1/2" BORE



Part#	Size	TYPE	RPM
S1800	3"	Coarse	4500
S1801	3"	Fine	4500
S1802	4"	Coarse	4500
S1803	4"	Fine	4500
S1804	6"	Coarse	4500
S1805	6"	Fine	4500

■ WIRE WHEEL 5/8" BORE



Part#	Size	TYPE	RPM
S1818	8"	3 Rows Coarse	3000

■ WIRE WHEELS



Part#	Size	SHANK SIZE	TYPE	RPM
S1858	1-1/2"	1/4"	Coarse Crimped	4500
S1859	1-1/2"	1/4"	Fine Crimped	4500
S1860	2"	1/4"	Coarse Crimped	4500
S1861	2"	1/4"	Fine Crimped	4500
S1862	3"	1/4"	Coarse Crimped	4500
S1863	3"	1/4"	Fine Crimped	4500
S1864	4"	1/4"	Coarse Crimped	4500
S1865	4"	1/4"	Fine Crimped	4500
S1867	3"	1/4"	Knotted Wire	10,000

■ WIRE WHEELS SET



S1860-3

3-Piece - Kit Includes 2" & 3" Wire Wheel & 2" Cupwheel

Includes:

Part#	Size	Shank Size	Type	RPM
S1860	2"	1/4"	Coarse Crimped	4500
S1863	3"	1/4"	Fine Crimped	4500
S1842	2"	1/4"	Fine Crimped	4500

STEEL WIRE BRUSH CUP WHEELS



Part#	Size	SHANK SIZE	TYPE	RPM
S1848	1"	1/4"	Crimped	4500



Part#	Size	SHANK SIZE	TYPE	RPM
S1850	1"	1/4"	Knotted	4500



Part#	Size	SHANK SIZE	TYPE	RPM
S1841	2"	1/4"	Coarse Crimped	4500
S1842	2"	1/4"	Fine Crimped	4500
S1843	3"	1/4"	Coarse Crimped	4500
S1844	3"	1/4"	Fine Crimped	4500
S1846	3"	1/4"	Knotted	4500




Part#	Size	THREAD SIZE	RPM
S1823	3"	5/8-11 Thread	12500
S1824	4"	5/8-11 Thread	8500
S1826	6"	5/8-11 Thread	4500



Part#	Size	THREAD SIZE	RPM
S1828	3"	5/8-11 Thread	12500
S1829	4"	5/8-11 Thread	8500

BRASS



S1601

1/2" Dia. x 16" Length Brass Tube Brush

S1603

1" Dia. x 16" Length Brass Tube Brush

S1605

1-1/2" Dia. x 16" Length Brass Tube Brush

STAINLESS STEEL



S1609

1/2" Dia. x 16" Length
Stainless Steel Tube Brush

S1612

1" Dia. x 16" Length
Stainless Steel Tube Brush

S1614

1-1/2" Dia. x 16" Length
Stainless Steel Tube Brush

■ COMPREHENSIVE LINE ■ HIGH QUALITY ■ GREAT VALUE



SUPERIOR

■ ■ Pads & Abrasives

Manufacturer of high quality Buffing, Polishing,
Sanding Pads and other Abrasive Products for:




BOSCH



HITACHI
POWER TOOLS



metabo *HPT*
DURABILITY FIRST



American
General Tool Group



929 Poinsettia Avenue
Vista, CA 92081

www.superiorpads.us

